



If you have a high volume of repeating washing tests or specific durability tests, Durawash or Durawash Plus is the perfect choice.

Durawash conforms to many high street and brand test methods and procedures.



# **FORM**

Constructed from high grade stainless steel for long life, the Durawash incorporates a number of safety and other features:

- Lid interlock and latch
- Water level protection to disable heating when low level or empty
- Stainless steel bearing housing
- Independent start button for Hydro-extractor (Durawash Plus only)

### **FUNCTION**

Durawash Plus: with the added benefit of an integrated hydro-extractor. This allows technician to operate effectively without the need for transporting wet samples across the working area.

Durawash & Durawash Plus includes the new Roaches touch screen interface. This intuitive technology ensures minimal training for technicians and highly accurate process control. Simple programming for new test methods.

Programming options are simple and easy to input, these are pictorial so there is no need for multiple language settings.

- System control and temperature calibration accuracy better than +/-1°C
- Automatic fill function
- Temperature control with a +/-0.25°C accuracy



Karl Schröder KG Mierendorffstrasse 28 D-69469 Weinheim Web: www.schroeder-prueftechnik.de @: info@schroeder-prueftechnik.de

T: +49 6201 9068-0 F: +49 6201 9068-29 Durawash can produce washing effects from a single cycle that are comparable to 5 standard domestic washes. Massive savings can be generated from test time to water and other utilities.









Karl Schröder KG Mierendorffstrasse 28 D-69469 Weinheim Web: www.schroeder-prueftechnik.de @: info@schroeder-prueftechnik.de

T: +49 6201 9068-0 F: +49 6201 9068-29

## **TECHNICAL SPECIFICATIONS**

# **DIMENSIONS**

Durawash

Length 730 mm 520 mm Depth

Height 910 mm (Deckel offen)

Unit Weight 66 kg

**Durawash Plus** 

Length 1100 mm Depth 520 mm

Height 910 mm (Deckel offen)

Unit Weight 100 kg

**ELECTRICAL** 

Voltage 220/240 V 50/60 Hz Frequency

Single Phase



#### **TEST METHODS**

# **ARCADIA GROUP**

> Arcadia Group CA 10a Print Durability for Textiles

# **BS**

> BS 7907:2007: Code of Practice for the design and manufacture of children's clothing to promote mechanical safety

# M&S

> M&S C15 Print Durability

> M&S P5 Durability Wash for Garments and Components

> M&S P6 Durability Wash for Pleat Retention

> M&S P7 Durability of Waddings and Quilted Waddings to Washing

> M&S P69 Cockling

Durawash is approved and specified by M&S

## **NEXT**

> NEXT TM 8 Appearance for Garments and Products

Roaches machines meet specifications set by leading retailers such as:

















Karl Schröder KG Mierendorffstrasse 28 D-69469 Weinheim

Web: www.schroeder-prueftechnik.de @: info@schroeder-prueftechnik.de

T: +49 6201 9068-0 F: +49 6201 9068-29